

Patient ID : 71726 /OPD Regn/Sample Date :29-Apr-2021 12.33 PM

Patient Name : VISHAL GUPTA Report Date : 29-Apr-2021 8:20 PM

Age / Sex : 36 Years / Male Contact No

Referred By : GAJANAN Barcode

Sample Coll. At :

## Covid-19 RT PCR

Investigation Result

SARS-CoV2 (COVID-19): NEGATIVE

Sample Type Nasopharyngeal swab and Oropharyngeal swab

Test Principle Real Time PCR

Equipment BIORAD IVD CFX 96 Dx

**Result Interpretation:** 

Not Detected: Result Indicates SARS-CoV2 (COVID-19) is not detected in provided sample.

Detected: Result Indicates SARS-CoV2 (COVID-19) is detected in provided sample

Inconclusive: Repeat sample is required in such cases. It may be due to low viral load

## \* ICMR Approved Covid 19 Testing Registration No. :- CRLAAHCCNMH

- 1.The COVID-19 RT-PCR test is a real-time reverse transcription polymerase chain reaction (RT-PCR) test for the qualitative detection of nucleic acid from SARS-CoV-2.
- 2.Negative results do not preclude SARS-CoV-2 infection and should not be used as the sole basis for patient management decisions. Negative results must be combined with clinical observations, patient history, and epidemiological information.
- 3. Positive results are indicative of the presence of SARS-CoV-2 RNA; clinical correlation with patient history and other diagnostic information is necessary to determine patient infection status. Positive results do not rule out bacterial infection or co-infection with other viruses..
- 4. Covid-19 test conducted as per kit approved by ICMR
- 5. Kindly consult physician or authorized hospital for appropriate follow up.

 END OF REPORT	

**Checked By** 





Page 1 of 1

Dr. Sarfaraz Ahmed MBBS, MD (Microbiology) Dr. Farah Mohammed MBBS, MD (Microbiology)

SAMPLE COLLECTION :-